

9800068

THE CONTRES OF AMERICA

To all to whom these presents shall come: Hinneer Hi-Bred International, Inc.

THETEIS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC EPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR VING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE REPOSE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT OF THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEO.)

SOYBEAN

'93B41'

In Jestimon Merces. I have hereunto set my hand and caused the seal of the Plant Mariety Arcterism Office to be affixed at the City of Washington, D.C. this fourteenth day of June, in the year of our Lord two thousand one.

Allast:

alunk Port

Acting Commissioner Plant Variety Protection Office Agricultural Marketing Service

Agriculture

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION - PLANT VARIETY PROTECTION OFFICE

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a).

Application is required in order to determine if a plant variety protection

| APPLICATION FOR PLANT VARIETY PROTECTION (Instructions and information collection burden statement) | | | certificate is to be issued (7 U.S.C. until certificate is issued (7 U.S.C. | | ion is held confidential |
|---|--|--------------------------------|---|------------------------|--------------------------|
| NAME OF APPLICANT(S) (as it is to appear on the Certificate) | | | EXPERIMENTAL NUMBER | 3. VARIETY NA | ME |
| Pioneer Hi-Bred International, Inc. | | | | 93B41 | |
| 4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and C | Country) | | 5. TELEPHONE (include area code) | FOR O | FICIAL USE ONLY |
| 7100 NW 62nd Ave | | | 515-270-3582 | | 800068 |
| P.O. Box 1000 | | | (include area code) | F DATE | |
| Johnston, Iowa 50131-1000 | | | 515-253-2288 | N E | 2m98 |
| 7. GENUS AND SPECIES NAME | 8. FAMILY NAME | (Botanica | 0 | G FILING ANI | DEXAMINATION FEE: |
| Glycine max L. | Leg | uminosae | • | E s Q C | 150.00 |
| 9. CROP KIND NAME (Common name) | | | | | 129/97 |
| Soybean | | | | E | |
| 10. IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF ORGANI Corporation | ZATION (corporation, p | partnership, as: | ociation, etc.) (Common name) | TELERTIFICA III = 2 |)/) —— |
| 11. IF INCORPORATED, GIVE STATE OF INCORPORATION | | | 12. DATE OF INCORPORATION | E DATE | 22, |
| lowa | | | May 6, 1926 | 9 6/ | J/01 |
| 13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO S | SERVE IN THIS APPL | ICATION AN | RECEIVE ALL PAPERS | | (include area code) |
| John Grace | | romert (Co | ••• | 515-270-3 | 3582 |
| 7300 NW 62nd Ave. | | VW 62nd A | ve. | (inclu | de area code) |
| P.O. Box 1004 | | ox 1000 | | | |
| Johnston, Iowa 50131-1004 | Johnst | on, Iowa 5 | 0131-1000 | 515-253-2 | 2288 |
| a. | r of the United States | s" <i>(Mail to</i> | PVPO) | | |
| 17. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SOLD YES If "yes," answer items 18 and 19 below) | | | · | 183(a) of the Plant | Variety Protection Act)? |
| 18. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LIMITE | NO NUMBER O | 'If "no," go | "YES" TO ITEM 18, WHICH CLASSES OF | F PRODUCTION BY | YOND BREEDER SEED? |
| GENERATIONS? YES NO | LO AO TO NOMBER | J. | FOUNDATION REGISTER | | rifled |
| 20. HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BEEN W YES (if "yes," give names of countries and dates) U.S 1997 | RELEASED, USED, C | OFFERED FO | R SALE, OR MARKETED IN THE U.S. OR | OTHER COUNTRI | E\$? |
| 21. The applicant(s) declare that a viable sample of basic seed of the variety applicable, or for a tuber propagated variety a tissue culture will be deported understand applicant(s) is/are) the owner(s) of this sexually reprod Section 41, and is entitled to protection under the provisions of Section | esited in a public repu suced or tuber propag | ository and n cated plant v | naintained for the duration of the certific ariety, and believe(s) that the variety is r | ate | |
| Applicant(s) is(are) informed that false representation herein can jeopard | lize protection and re | esult in pena | ities. | | |
| SIGNATURE OF APPLICANT (S) (mer(s)) | | SIGNATURE | OF APPLICANT (Owner(s)) | | |
| Nome (flagge print or type) | İ | | and print or twee! | | |
| Name Please print or type) D. John Grace III | - | Name (Ple | ase print or type) | | |
| CAPACITY OR TITLE DATE Soybean Research Coordinator 12 | 10/00 | CAPACITY (| PR TITLE | | DATE |
| - Dy Douit i toobai bit bootailiato! | コノモノー | | • | | 1 |

Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 93B41

Variety 93B41 evolved from a 1988 cross of 9273/5/9273/4/A3733/3/A3733/RESNIK//A3733.

It is an F5-derived variety which was advanced to the F5 generation by modified single seed descent. The F6 progeny row of 93B41 was grown in the summer of 1991. Subsequently, 93B41 has undergone four years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants. On the basis of resistance to brown stem rot, multi-race resistance (Rps1k) to *Phytophthora megasperma*, and excellent yield potential, variety 93B41 was released for sale.

The purification block was grown during winter of 1994 and 58 sublines were bulked for increase. Three acres of 93B41 (breeders seed) were grown in the summer of 1995. 609 acres of parent seedstock (foundation seed equivalent) were grown in the summer of 1996 and 18,000 bushels were harvested.

2

Exhibit B. Statement of Distinctness

Soybean Variety 93B41

Soybean variety 93B41 is most similar to the variety 9323. Both varieties have tawny pubescence, yellow seed with black hila, tan pod wall color, and multi-race resistance (Rps1k) to *Phytophthora megasperma*. However, 93B41 has purple flowers and 9323 has white flowers. In addition, 93B41 and 9323 differ in their isozyme profiles at loci AC04, DIA, and IDH1 (see Table 1. below).

Table 1. Isozyme Data

| | AC02 | AC03 | AC04 | ACP | DIA | ENP | IDH1 | IDH2 | MDH | PGM1 | PHI1 |
|-------|------|------|------|--------------|-----|--------------|------|------|---------|------|------|
| 93B41 | 1 | 1 | 1 | \mathbf{A} | В | \mathbf{A} | 1 | 1 | В | 1 | 1 |
| 9323 | 1 | 1 | 3 | \mathbf{A} | A | Α | 2 | 1 | ${f B}$ | 1 | 1 |

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SEED DIVISION - PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705 OBJECTIVE DESCRIPTION OF VARIETY

EXHIBIT C (Soybean)

SOYBEAN (Glycine max L.)

| NAME OF APPLICANT(S) | TEMPORARY DESIGNATION | VARIETY NAME |
|---|--|--|
| Pioneer Hi-Bred International, Inc. | | 93B41 |
| ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code) | | FOR OFFICIAL USE ONLY |
| 7300 N.W. 62nd Ave., P.O. Box 1004 | | PVPO NUMBER |
| Johnston, IA 50131-1004 | | 9800068 |
| Choose the appropriate response which characterizes the variety in the number of boxes provided, place a zero on the first box when num adequate soybean variety description. Other characters should be determined to the characters of the characters are considered to the characters of the characters are considered to the characters of the characters are characters. | ber is 9 or less (e.g., n g). Sta | rred characters 🛨 are considered fundamental to an |
| 1. SEED SHAPE: | | |
| 2 L | W | |
| 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2 |) | ıl Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) |
| 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2) | | Flattened (L/T ratio > 1.2; T/W > 1.2) |
| ★ 2. SEED COAT COLOR: (Mature Seed) | | |
| 1 1 = Yellow 2 = Green 3 = Brown | 4 = Black 5 = Other (Sp | ecify) |
| 3. SEED COAT LUSTER: (Mature Hand Shelled Seed) | | |
| 1 = Dull ('Corsoy 79'; 'Braxton') | 2 = Shiny ('Nebsoy'; 'Ga | asoy 17') |
| ★ 4. SEED SIZE: (Mature Seed) | | |
| 1 6 Grams per 100 seeds | | |
| ★ 5. HILUM COLOR: (Mature Seed) | | |
| 6 1 = Buff 2 = Yellow 3 = Brown 4 = Gray | 5 = Imperfect Black 6 = B | lack 7 = Other (Specify) |
| ★ 6. COTYLEDON COLOR: (Mature Seed) | | |
| 1 1 = Yellow 2 = Green | | |
| ★ 7. SEED PROTEIN PEROXIDASE ACTIVITY: | | |
| 1 1 = Low 2 = High | , | |
| ★ 8. SEED PROTEIN ELECTROPHORETIC BAND: | | |
| 1 = Type A (SP1 a) 2 = Type | B (SP1 b) | |
| ★ 9. HYPOCOTYL COLOR: | | |
| 1 = Green only ('Evans'; 'Davis') | 2 = Green with bron | ze band below cotyledons ('Woodworth'; 'Tracy') |
| 3 = Light Purple below cotyledons ('Beeson'; | 'Pickett 71') | |
| 4 = Dark Purple extending to unifoliate leave | s ('Hodgson'; 'Coker Hampton | 266A') |
| ★ 10. LEAFLET SHAPE: | | |
| 3 1 = Lanceolate 2 = Oval 3 = O | vate 4 = Other (Specia | (y) |
| FORM LMGS-470-57 (6-83) (Edition of 2-82 is obsolete.) | | Page 1 of 4 |

| | 11. LEAFLET SIZE: 3 | 2 = Medium ('Corsoy 79'; 'Gasoy 17') | |
|---------|---|---|-------------------|
| | 12. LEAF COLOR: | | |
| | 3 1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy') | 2 = Medium Green ('Corsoy 79'; 'Braxton') | |
| * | 13. FLOWER COLOR: | | |
| | 2 1 = White 2 = Purple | 3 = White with purple throat | |
| * | 14. POD COLOR: | | |
| | 1 1 = Tan 2 = Brown | 3 = Black | |
| × | 15. PLANT PUBESCENCE COLOR: | | |
| | 2 1 = Gray 2 = Brown (Tawn) | /) | |
| | 16. PLANT TYPES: | | |
| | 1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan') | 2 = Intermediate ('Amcor'; 'Braxton') | |
| \star | 17. PLANT HABIT: | | |
| | 3 1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved | 2 = Semi-Determinate ('Will') Pelican') | |
| * | 18. MATURITY GROUP: | | |
| Г | | | |
| L | 1-000 2-00 3-0 | 4 = I $5 = II$ $6 = III$ $7 = IV$ | 8 = V |
| | $9 = VI \qquad 10 = VII 11 = VIII$ | $12 = IX \qquad 13 = X$ | |
| * | 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = | Susceptible: 2 = Resistant) | |
| | | | |
| | BACTERIAL DISEASES: | | |
| | ★ 0 Bacterial Pustule (Xanthomonas pha | seoli var. sojensis) | |
| | ★ 1 Bacterial Blight (Pseudomonas glycin | rea) | |
| | ★ 0 Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: | | |
| | FURGAL DIGEAGES. | | |
| | ★ 1 Brown Spot (Septoria glycines) | | • |
| | Frogeye Leaf Spot (Cercospora sojin | a) | |
| | ★ 0 Race 1 0 Race 2 0 | Race 3 Race 4 Race 5 | O Other (Specify) |
| | Target Spot (Corynespora cassiicola) | | |
| | Downy Mildew (Peronospora trifoliorus | n var. manshurica) | |
| | Powdery Mildew (Microsphaera diffusa |) | |
| | ★ 2 Brown Stem Rot (Cephalosporium gree | | |
| | Stem Canker (Diaporthe phaseolorum | var. caulivora) | |

| 19. 1 | DISEASES REACTION: (I | Enter 0 = Not Tested; 1 = Susceptible; 2 | = Resistant) (Continued) | |
|--------|---------------------------|---|--------------------------|-----------------|
| | FUNGAL DISEASES: (Co | | , (| |
| * | 1 Pod and Stem Blight | (Diaporthe phaseolorum var; sojae) | | |
| | O Purple Seed Stain (6 | Cercospora kikuchii) | | |
| | 1 Rhizoctonia Root Rot | (Rhizoctonia solani) | | |
| | Phytophthora Rot (F | Phytophthora megasperma var. sojae) | | |
| * | 2 Race 1 2 Race | e 2 2 Race 3 2 Race 4 2 | Race 5 0 Race 6 | Race 7 |
| | O Race 8 O Race | 9 Other (Specify) | | |
| • | VIRAL DISEASES: | | | |
| | 1 Bud Blight (Tobacco I | Ringspot Virus) | | |
| | 1 Yellow Mosaic (Bean | Yellow Mosaic Virus) | | |
| * | 1 Cowpea Mosaic (Cow | pea Chlorotic Virus) | | |
| | 1 Pod Mottle (Bean Pod | Mottle Virus) | | |
| * [| Seed Mottle (Soybean | Mosaic Virus) | | • |
| | NEMATODE DISEASES: | | | |
| | Soybean Cyst Nemato | de (Heterodera glycines) | | |
| * [| Race 1 0 Race | 2 1 Race 3 0 Race 4 | Other (Specify) | |
| | Lance Nematode (Hop. | Iolaimus Colombus) | | |
| ★ [| O Southern Root Knot No | ematode (Meloidogyne incognita) | | |
| * | 0 Northern Root Knot No | ematode (Meloidogyne Hapla) | | |
| | Peanut Root Knot Nen | natode (Meloidogyne arenaria) | | |
| | Reniform Nematode (F | Rotylenchulus reniformis) | | |
| | 0 OTHER DISEASE NOT | ON FORM (Specify) | | |
| 20. P | HYSIOLOGICAL RESPON | SES: (ENTER 0 = Not tested, 1 = Suscept | ible, 2 = Resistant) | |
| * [| 0 Iron Chlorosis on Calca | areois Soil | | |
| Ī | Other (Specify) | | | • |
| L | | | | |
| _ | Mexican Bean Beetle | ER 0 = Not tested, 1 = Susceptible, 2 = Res | sistant) | |
| L | | Epilacilia valivesus) | | |
| L | O Potato Leaf Hopper (En | npoasca fabae) | | |
| | Other (Specify) | | | |
| 22. IN | DICATE WHICH VARIETY | MOST CLOSELY RESEMBLES THAT SU | BMITTED. | |
| C | HARACTER | NAME OF VARIETY | CHARACTER | NAME OF VARIETY |
| P | lant Shape | 9342 | Seed Coat Luster | 9352 |
| L | eaf Shape | 9342 | Seed Size | 9342 |
| L | eaf Color | 9351 | Seed shape | 9352 |
| L | eaf Size | 9342 | Seedling Pigmentation | 9344 |

FORM LMGS-470-57 (6-83)

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

| VARIETY | NO. OF DAYS MATURITY | PLANT LODGING SCORE | CM PLANT HEIGHT | LEAFLET SIZE | | SEED CONTENT | | SEED SIZE G/100 | NO. |
|------------------------------------|----------------------------|---------------------------|-----------------------|--------------|-----------|--------------|-------|--------------------|--------------|
| PARIETT | | | | CM Width | CM Length | % Protein | % Oil | SEED | SEEDS POD |
| Submitted 93B41 | 130.0 | 1.3 | 84.3 | | | 40.7 | 22.4 | 14 | 3 |
| Name of Similar Variety 9342 | 130.7 | 1.7 | 92.7 | | | 42.2 | 21.4 | 17 | 3 |

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop. Sci., 13: 420-421
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1:1-19

Exhibit D. Additional Description of the Variety

Soybean Variety 93B41

In Exhibit C we have identified variety 93B41 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle and seed mottle.

This does not mean that variety 93B41 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 93B41 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as "susceptible".

PLEASE NOTE:

Plant variety protection can be afforded only to owners (not licensees) who meet one of the following criteria:

1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.

b. If original rights to variety were owned by a company, is the original owner(s) a U.S. based company?

If no, give name of country

- 2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definition.

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-5881 (voice) or (202) 720-7808 (TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

☐ YES

11. Additional explanation on ownership (If needed, use reverse for extra space);